

NEW SMART KEYS

NEW LOCKTON



www.sglocks.com.au



CUSTOMISED PRODUCTS TO PROMOTE YOU TO YOUR CUSTOMERS



REGAL ALOCKS

CUSTOM KEY TAGS

PRODUCT DESCRIPTION

LOCKTON Customised Key Tag Inserts - Full Colour Design Customise your KEY TAGS with your business details Quick Easy Design Process - We do the design for you !

PRODUCT SPECIFICATION

- Printed on Perforated A4 Paper
- 4 x A4 Sheets (65 Per Sheet = 260 Inserts)
- Insert Size: 38 x 21 mm

Art. KTID5-CUST-260 Check

CUSTOM KEY TAGS

 sglocks.com.au

Q



FREE LASER ENGRAVING

PRODUCT DESCRIPTION

FREE Laser Engraving on LOCKTON Cylinders & Padlocks MOQ apply

- No Setup Fees
 - "Quick" turnaround after design approval

Talk to your sales rep to get started !



2 🕎 **SG**LOCK

FREE EMBOSSING CUSTOM EMBOSSED KEYBLANKS



PRODUCT DESCRIPTION

JMA is the leading producer of keys in Europe, producing 2,500,000 keys daily with over 40,000 different key references.

Minimum Order: 1000 Keys per/reference (for embossed keys). FREE Key Coining Design: Logo &/or Business Name &/or Phone Number Quick Easy Design Process - We do the design for you ! No Die Charges or Hidden Costs

Lead Times apply, please contact us to discuss



ALL BRASS NICKEL PLATED BRASS MILD STEEL

Art.	Like	Size	Line Description	250 buy price/ each	1000 min buy for embossing / each
LWO-1D	LW4	* N.P Brass *	Domestic KEY BLANK (Like: LW4)	CFP	CFP
LWO-1D-BR	LW4	* All Brass *	Domestic KEY BLANK (Like: LW4-BR)	CFP	CFP
LWO-1D-ST	LW4	*Mild Steel *	Domestic KEY BLANK -MILD STEEL (Like: LW4)	CFP	CFP
LWO-2D	LW5	* N.P Brass *	Domestic KEY BLANK (Like: LW5)	CFP	CFP
LWO-2D-BR	LW5	* All Brass *	Domestic KEY BLANK (Like: LW5-BR)	CFP	CFP
LWO-2D-ST	LW5	*Mild Steel *	Domestic KEY BLANK - MILD STEEL (Like: LW5)	CFP	CFP
WHI-1D	WC2	* N.P Brass *	Domestic KEY BLANK (Like: WC2)	CFP	CFP
WHI-1D-BR	WC2	* All Brass *	Domestic KEY BLANK (Like: WC2-BR)	CFP	CFP
WHI-1D-ST	WC2	*Mild Steel*	Domestic KEY BLANK - MILD STEEL (Like: WC2)	CFP	CFP

CUSTOMISED KEY STICKERS



'Customised' KEY STICKERS - Pkt of 200

PRODUCT DESCRIPTION

These customised stickers are designed to suit the range of JMA transponder keys, KEYDIY Remotes & XHORSE Remotes.

Simply remove the existing sticker and replace with your own design for a full colour "coined" automotive transponder key

This is a great way to advertise your business!

PRODUCT SPECIFICATION

- Weather Proof Vinyl Stickers (Bumper Bar Quality)
- Full Colour
- Design done by SGLOCKS
- Size (Diameter):14mm
- Packet of 200

Check

🜍 sglocks.com.au

For Pricing!







XM SMART KEYS

0140, 0111, 7930, 7980, 0310, 0 F433, 0140, 0111, 7930, 7980, 0 0031, A433, F433, 0140, 7930, 7980, 0031, A433 5290, 7930, 7980, 007 40, 3370, 5290, 793 10, 0440, 3370, 5 120, 0410, 0440, 980, 0310, 0120

NEW

XM SMART KEY

UNIVERSAL SMART KEY FOR LEXUS , SUBARU, TOYOTA VEHICLES



Art ID: XS-TOY-00



PRODUCT DESCRIPTION:

The XM Series are a Smart Remote, designed to be used on Vehicles with Smart / Proximity Systems specifically in TOYOTA/LEXUS & SUBARU

In conjunction with the XHORSE Key Tool Max, this remote has the ability to lower the stock holdings of SGT or OEM smart remotes - replacing 20 + types of Toyota/Lexus smart keys alone.

XM - remotes cost 200 points to activate (see points system on next page) The remotes can be generated infinitely after it's initial activation at no extra point charge.

The PCB has 4 buttons, however these buttons can be configured for different applications using the Key Tool Max and by Key shell selection.

Example: 4 button PCB in 2 Button shell

This series is supplied in ORANGE packaging for easy identification.

PRODUCT SPECIFICATION:

- 4-Button
- Suits many Vehicle Makes that start by pushing a Button on the Dash when the key is in Proximity of the Vehicle
- Programmable with the XHORSE Key Tool Max (See Art. KTM)
- Takes a CR2032 Battery (MAXELL CR2032 supplied FREE with order)
 - Battery must be in the remote for Wireless generating.



XM - KEY SHELLS



XM Smart Key Shell Range available now !




	See the full range at
ର	sglocks.com.au





HOW TO IDENTIFY SMART KEYS - ALL KEYS LOST

Check The SRS





HOW TO IDENTIFY SMART KEYS - ADDITIONAL KEY

Remotes will generally have some alphanumeric markings on them. just like any other product has a part number. These markings can be a very helpful contributing factor when selecting a remote.

On Toyota / Lexus vehicles this number is usually written on the PCB (**see right** 271451-**5290**) 5290 - being the number needed for cross reference.

s usually **50**) ss reference.

The next determining factor in selection is the remote frequency. Use your Key Tool Max to check the frequency and choose the XHORSE pathway that matches the Number & Frequency.

POINTS SYSTEM - EXPLAINED

XHORSE Points are collected through remote generation. XHORSE points cannot be purchased - Points are only obtained through XHORSE product use.



horse

XN Wireless integrated

XN Wireless integrated remote = 40 points

5x remotes = 200 points



XE Wireless Super remote = 40 points

5x remotes = 200 points



2714

XS Smart/Prox remote = 60 points

4x remotes = 240 points



8x remotes = 200 points























\$5,000 IN PRIZES TO BE WON



ML20

PROUDLY SPONSORED BY:



Enter your VAN to be in the running to win

JMEN

Please consider the Judging Criteria below for your entry

External - Look / Signage etc.

Is it clear that it is a Locksmith Van? Visual appeal & attraction Are contact details clearly shown? Does the van clearly display the MLAA logo? Internal - Fit Out Use of space & design of van layout Efficiency of the work areas in the van Innovation - Bonus Points Extra points awarded for innovative/creative ideas

There will be 5 finalists from each category (Shop & Van). All entries will receive a LW5-AG LISHI pick from SIEPER Group

Both finalists & winners will re promote their business with thi mon

LOCKTO

Examples





Friday & Saturday, 22-2







Enter your SHOP to be in the running to win

Please consider the Judging Criteria below for your entry

External - Look / Signage etc.

Is it clear that it is a Locksmith Shop? Visual appeal & attraction Does the shop clearly display the MLAA logo? Internal - Fit Out Use of space & design of retail showroom Variety of product categories represented Innovation - Bonus Points

Extra points awarded for innovative/creative ideas

ceive certificates & rights to s achievement for the next 12 ths

Entries close 30/09/2021 with 5 finalists being judged by the 23/10/2021

23 October 2021



More Info at: www.masterlocksmiths.com.au



Examples

CKSAAT

Pedret

DOOR HARDWARE



25-45mm DOOR

SUPERVIEWER (S)



PRODUCT DESCRIPTION:

The PEDRET 'Super Viewer' 200° door viewer is Suitable for door thickness between 25-45mm.

PRODUCT SPECIFICATIONS:

- Solid Brass Body with Optical Glass Lenses
- 14 mm Ø hole required for door fitting
- Suitable for door thickness 25 -45mm
- Comes carded for shop display Made in Spain





35-55mm DOOR

SUPERVIEWER (M)

PRODUCT DESCRIPTION:

The PEDRET 'Super Viewer'200° door viewer is Suitable for door thickness between 35-55mm.

PRODUCT SPECIFICATIONS:

- Solid Brass Body with Optical **Glass Lenses**
- 14 mm Ø hole required for door fittina
- Suitable for door thickness 35 - 55mm
- Comes carded for shop display Made in Spain





35-60mm DOOR

*	BLACK	
67	Art. SWL-AF-NE	PR
		The
13 50	BRASS	Fir spe
	Art. SWL-AF-D	bet
		PR
* /	CHROME	.
0	Art. SWL-AF-CR	
		•
the Ca	NICKEL	
07	Art. SWL-AF-NM	
and the second sec		1

•

•

Check

For Pricing!

SUPERVIEWER FIRE RATED

RODUCT DESCRIPTION:

he PEDRET 'Super Viewer' 200° View door viewer has a 2-hour re Rating. Featuring a solid Brass body, Multiple finishes with becial Fire resistant lenses and is suitable for door thickness etween 35-60mm.

RODUCT SPECIFICATIONS:

- Solid Brass Body with Fire Resistant Vitro-Ceramic Lenses
- 14 mm Ø hole required for door fitting
- Suitable for door thickness 35 60mm
- Comes Carded for shop display
- Made in Spain
- 2-hour Fire Rated







«KEYDIY

KEYDIY KDX2



Now Clones **'H'** Transponders !

PRODUCT DESCRIPTION:

Remote Generation

Generate B Series Remotes- Remotes that are separate to Transponder. Generates NB Series Remotes- Remotes that are integrated with the Transponder. Generates ZB Series Smart/Proximity Keys. Generates Remote information to use with New KD Smart watch.

NB Functions

Fast ID46 straight cloning onto NB Series remotes. Clone/Generate transponder data & generate remote data onto the one NB remote. (ID46)

Transponder Cloning

Fixed Code - ID11, 12, 33 etc Texas Fixed - 4C Texas Crypto - 4D(ID60-71) Texas Crypto - Toyota 'G' Texas Crypto - 70.83 (80 Bit) Philips Crypto - ID46 Megamos Crypto - ID48 Texas Crypto - Toyota 'H'

Transponder Starter Kit Includes:

Qty of 2: Art. LKP-02 Qty of 2: Art. CN3 Qty of 2: Art. CN6 Qty of 2: Art. T5

Chip Generation

Philips: ID40/44 Texas Fixed - 4C Texas Crypto - 4D(ID60-71) Texas Crypto - Toyota 'G' Fixed code - ID11, 12, 33 etc Texas Crypto - 70.83 (80 Bit) Philips Crypto - ID46 Megamos Crypto-ID48 Pre-coding

- Ignition Coil Detector
- Diagnose Immobiliser Data transmission issues
 - Portable Design
 - Contains a 2600mAh lithium rechargeable battery that charges from a USB source

Standalone Functions

- Identify Transponder
- Remote Copy Check frequency (incl. infrared)



Art.

TOYOTA 'H' CLONEABLE CHIP

PRODUCT DESCRIPTION

The New Aftermarket ID-KDH chip works with KEYDIY KDX2 machine to clone Toyota 'H' keys from 2014-

Works with: Toyota vehicles 2014-**ID-KDH**

Compatible Transponders

Art.		Description	Indiv. Price (ex. GST)	Buy 5+ Price ea. (ex. GST)
LKP02		Clone & generate Texas - ID 4C Texas Crypto- 4D (ID60- 71) Texas Crypto - Toyota 'G' Texas Crypto DST -70/83 (80 bit)	CFP	CFP
IDT5		Clone & Generate Fixed code - ID11, 12, 33 etc	CFP	CFP
CN3		Clone & Generate Philips Crypto - ID46	CFP	CFP
CN6	6.	Clone & Generate Megamos Crypto -ID48	CFP	CFP





Commercial Mortice Lock

Jmm

Art. SG-ML60

Backset



- Commercial •
- Education •
- Retail •
- Industrial •
- **Medical** •



14

4- Hour Fire Rating

SGLOCK

상 상 상 상 전 ⁵ Year Warranty

(33)

LOCKTON

(+

0


2

η





PITBULL FLOOR ANCHOR



'Xtra-Lok' PITBULL FLOOR ANCHOR -18mm Hardened Loop

PRODUCT DESCRIPTION

Xtra-Lok Art. PB-FA is Designed as a ground anchor for fixing chains or cables too. Perfect for securing valuables like motor bikes, Boats etc.

PRODUCT SPECIFICATION

- Steel plate base
- Hinged Loop is 18mm diameter hardened steel
- Steel construction Yellow Paint, visual deterrent
- To be installed on flat concrete
- Lays virtually flat when not in use







& FURNITURE

NEW STRIKE SHIELD (BLOCKER PLATE) RANGE

STRIKE SHIELD (BLOCKER PLATE)

to suit Cylindrical Locks *Visible Fix* Stainless Steel PRODUCT DESCRIPTION

The LOCKTON range of Blocker Plates are well suited to add greater security to most door configurations.

PRODUCT SPECIFICATION:

- Application: Suits Cylindrical Locks (cut-out for rose)
- Size (H X W X D): 275mm x 75mm x 2 mm
- Material: Stainless Steel
- Mounting: Visible Fix
- Comes with required bolts

STRIKE SHIELD (BLOCKER PLATE)

to suit Cylindrical Locks *Concealed Fix* Stainless Steel

PRODUCT DESCRIPTION

The LOCKTON range of Blocker Plates are well suited to add greater security to most door configurations.

PRODUCT SPECIFICATION:

- Application: Suits Cylindrical Locks (cut-out for rose)
- Size (H X W X D): 275mm x 75mm x 2 mm
- Material: Stainless Steel
- Mounting: Concealed Fix
- Comes with required bolts

STRIKE SHIELD (BLOCKER PLATE)

to suit 127mm Backset Cyl. Locks *Concealed Fix* Stainless Steel

PRODUCT DESCRIPTION

The LOCKTON range of Blocker Plates are well suited to add greater security to most door configurations. PRODUCT SPECIFICATION:

- Application: Suits Cylindrical Locks with 127mm Backset
- Size (H X W X D): 275mm x 75mm x 2 mm
- Material: Stainless Steel
- Mounting: Concealed Fix
- Comes with required bolts

STRIKE SHIELD (BLOCKER PLATE)

to suit Narrow Stile Mortice Furniture *Visible Fix* Stainless Steel

PRODUCT DESCRIPTION

The LOCKTON range of Blocker Plates are well suited to add greater security to most door configurations.

PRODUCT SPECIFICATION:

- Application: Suits Narrow Stile Mortice Furniture
- Size (H X W X D): 275mm x 75mm x 2 mm
- Material: Stainless Steel
- Mounting: Visible Fix
- Comes with required bolts



to Suit LOCKTON Strike Shields (Blocker Plates) Stainless Steel

PRODUCT DESCRIPTION

The LOCKTON range of Blocker Plates are well suited to add greater security to most door configurations. **PRODUCT SPECIFICATION:**

- Application: Packs out Strike Shields by extra 2mm
- Size (H X D): 275mm x 2 mm
- Material: Stainless Steel







16

Art. **SS03-SS**

Art. SS01-SS

Art. SS02-SS

🔛 sglocks.com.au

Check

For Pricing!

🗑 sglocks.com.au

For Pricing!

Check

🗑 sglocks.com.au For Pricina!

Art. SSO4-SS

🜍 sglocks.com.au

For Pricing!

Check







NEW NARROW STILE FURNITURE



Narrow Stile - Sq. End INT PLATE - CYL HOLE ONLY

PRODUCT DESCRIPTION

Art. NSQ-04V-SCP - Internal Square Plate with Cylinder Hole Only Suits Narrow Stile Mortice Locks (Like: LOCKTON Art. SG-SBML23 or equivalent) Retrofits most existing Narrow Stile Furniture 5 Year Warranty PRODUCT SPECIFICATION

Material: Solid Brass (Body)

Art. NSQ-04V-SCP Check S sglocks.com.au



Square End INT PLATE - CYL HOLE ONLY

PRODUCT DESCRIPTION

Art. SQ-04V-25-SCP - Internal Square Plate with Cylinder Hole Only Suits most 60mm Australian Mortice Locks Retrofits most existing Wide Plate Furniture **PRODUCT SPECIFICATION**

Material: Solid Brass (Body)



NEW ESCUTCHEONS & ROSES



Cylindrical Rose PASSAGE FURNITURE SET - Suits 60mm Mortice

PRODUCT DESCRIPTION

Art. CYL-53-25-SCP - Cylindrical Rose Passage Furniture Set -Internal & External Lever Suits most 60mm Australian Mortice Locks PRODUCT SPECIFICATION • Material: Solid Brass (Rose & Handle)

- Handing: Easy change handing
- Quality Return Spring

Oval Cyl. Escutcheon ROUND ROSE- 50mm Diameter

PRODUCT DESCRIPTION

Art. CYL-50-OVL - Oval Cylinder Escutcheon - Round Rose -50mm Diameter Suits most **60mm Australian Mortice Locks**

PRODUCT SPECIFICATION

- Material: Solid Brass
- Size: 50mm Diameter



Turn Snib Escutcheon ROUND ROSE- 50mm Diameter

PRODUCT DESCRIPTION

Art. CYL-50-SNB - Turn Snib Escutcheon Round Rose - 50mm Diameter Suits most **60mm Australian Mortice Locks**

PRODUCT SPECIFICATION Material: Solid Brass

- Material: Solid Brass
- Size: 50mm Diameter



🜍 sglocks.com.au

For Pricing!





SGLOCK



SOLDERING



PRODUCT DESCRIPTION:

This Lead-free Solder is designed for use in electrical and electronic applications including PCB rework and because of it's 99.3% Tin -0.7% Copper base (Lead free) is considered the most environmentally friendly. Lead Free Solder has become the industry standard for PCB construction and this solder meets this increasingly stringent quality requirement.

PRODUCT SPECIFICATION:

- Melting point 227°C Complies with European RoHS
- 200g Roll
- 1mm Diameter





PRODUCT DESCRIPTION:

Desoldering Braid is designed for use with Printed circuit boards. Its main purpose is to remove solder from a PCB.

Place the braid over the solder that you want to remove and apply a soldering iron tip over the braid. When the heat is applied the Solder wil run off the PCB & into the braid. **PRODUCT SPECIFICATION:**

High quality, Made in Japan

- Contains wash- free RMA flux
- Conforms to MIL-F-14256F.
- Supplied in plastic reels.
- 3.0 mm braid
- 3.0 mm braid





PRODUCT DESCRIPTION:

This tip cleaner eliminates the temperature variation associated with the wet sponge approach and does a better job. The curly brass insert does not need to be kept wet and cleans without damaging the tip. Uniform iron temperature ensures consistent joint quality and reduces cycle times. It's made from a heavy-duty heat-resistant rubber base that won't slip around on the bench, is static-safe and is also suitable for lead-free solders. Supplied with spare insert. Art. S-CLEANER

PRODUCT SPECIFICATION:

- Diameter 60mm
- Height 58mm
- 3.0 mm braid





SOLDERING

PRODUCT DESCRIPTION:

Make soldering easy! No Clean Flux Gel is a tacky rework flux designed to wet virtually all solderable electronic surfaces, components, assemblies, and substrates. It can be used for the general touch-up or rework of printed circuit boards. The superior wetting ability of NCFP results in bright, smooth, and shiny solder joints, whether reflowed by hand or hot-air rework station. Residues that remain on surfaces after soldering are clear, leaving a cosmetically appealing repair that can be easily pin probed during in-circuit tests. No Clean Flux Gel is compatible with all tin-lead and lead-free alloys ensuring a nice easy flow of solder.

PRODUCT SPECIFICATION:

5cc (10g) Syringe with Dispensing Tip





ALLON GEL

PRODUCT DESCRIPTION:

Kleanium[™] Deflux-It G2 is a slow drying heavy duty flux remover for more effective cleaning suitable for cleaning PCB's. This special solvent based flux remover has the staying power to really attack some of the toughest baked on fluxes and will leave little or no residue. It is also non-corrosive and compatible with most plastics. Rapidly cleans a variety of soils including waxes, oils and greases.

PRODUCT SPECIFICATION:

- 300g Aerosol with nozzle
- Non corrosive
- Pleasant smelling
- Low toxicity
- Lead and lead-free compatible

Art. F-REMOVER





PRODUCT DESCRIPTION:

This Conductive Brush is designed for use with Printed circuit boards. Its main purpose is to clean Flux or Dirt/Grime without the risk of creating static electricity and damaging sensitive components.

The handle is made from conductive plastic, and the comb from conductive nylon. Use it to clean anything where static is a problem!

This brush is suitable for cleaning any Remote , ECU or Immobiliser PCB.

PRODUCT SPECIFICATION:

- Resistivity: 10(4) 10(6) Ohm
- Conductive Nylon Comb

•

Conductive Plastic Handle



PRODUCT DESCRIPTION:



Chemtools[®] Lint Free Wipes are completely sterile, highly absorbent, extremely soft wipes, free of lint and low in particulate and non-volatile residues. When used with liquids, they are static-free and will not allow dust to cling. Lint Free Wipes are made from ultra-clean cellulose and long polyester fibres. They provide superior cleaning without the risk of surface scratching, making them ideal for wiping sensitive parts and equipment, such as optical and precision instruments, screens, and printer parts. They are recommended for use with a wide range of industrial liquids and solvents, including Isopropyl Alcohol, Acetone, and Methylated Spirits.

PRODUCT SPECIFICATION:

Material: Non-woven blend of polyester and lyocell

- ESD Category: Static neutral when used with liquids
- Strength: Excellent, both wet and dry
- Packet of 50





PRODUCT DESCRIPTION:

The corrosion buster pen is designed for use with Printed circuit boards. Its main purpose is to remove rust, wax & dirt from every nook & cranny without harsh chemicals. The amazing spot cleaning brush tip is like a mini sandblaster pen with 20,000 fibres in the point. The pen has an amply sized body with finger indent to provide a comfortable & secure grip while the adjustable length allows for more aggressive cleaning when required.

PRODUCT SPECIFICATION:

- 20,000 Fibreglass bristles in point
- Adjustable point length







SGLOCKS light the way JULY PROMO 2021

SPEND OVER \$750.00^{*}ON

🗑 sglocks.com.au

AND RECEIVE FREE

LEDLENSER.

6

SGLOCK

PRODUCT DESCRIPTION

The K4R keyring light raises performance, technology and design to a new level. This small everyday helper housed in a high-quality and well-designed aluminium case reaches up to 60 lumens and provides wide-area illumination. The first lamp in the new K Series, the K4R is rechargeable and is equipped with the additional safety of an SOS distress signal mode.

- Extremely compact
- 60 lumens
- 1.5 hours runtime
- COB LED
- 2 power mode
- Rechargeable
- S.O.S function
- Metal snap hook

' JULY Promo 2021 Promo" valid until 31st July 2021 or whilst stocks last. * Free Promotion item is only valid for online orders * Pricing shown excludes GST All pricing within is accurate as of 01/07/2021 and is subject to change. For most accurate pricing please check the sglocks website.



Your Sales Managers:



WINDSOR QLD 4030 Vince Carson 0437 770 576

OSBORNE PÁRK WA 6017 **Jason Baker** 0438 909 840

Henry Guldon 0400 613 714

NZ Toll Free 0800 00 15 98