# SGLOCKS Nevsletter March 2020 ISSUE 70

JMA Nomad

MLAA Branch Meetings



www.sglocks.com.au



# MLAA LOCK

# All locksmiths, lo

SIEPER Group are p



### WESTERN AUSTRALIA

4

Tuesday 10 March 6:00 pm to 9.00 pm Northbridge Brewing Co. 44 Lake Street Northbridge Western Australia

5

### 3 QUEENSLAND

Friday 6 March 6:00 pm to 9.00 pm Oche 111 Constance Street Fortitude Valley Queensland

### NEW SOUTH WALES

Tuesday 3 March 6.00 pm to 9.00 pm S G Locks 101 - 109 Deakin Street Silverwater Foodtruck & Drinks supplied

### SOUTH AUSTRALIA

Wednesday 11 March 6.00 pm to 9.00 pm Pirate Life 18 Baker Street Port Adelaide South Australia

# VICTORIA

Tuesday 25 February 6.00 pm to 9.00 pm The Deck Urban Alley Brewery 12 Star Circus Docklands Parking available from \$10



Refresher training on the LISHI Domestic range. Picking competition on the Night Winner at each meeting will Win a FREE LW5 Pick/Decoder

WIN

# **(SMITH MEETINGS**

# ocksmith staff & apprentices are welcome to attend

### roud to be hosting the first round of 2020 MLAA Branch Meetings across Australia





## **OAustralian** Design

Designed in Australia by Locksmiths for Locksmiths.

## Trusted

Trademarked Key Head recognised & trusted by Security professionals and End users throughout Australia & New Zealand.

# **O**Quality

High Quality Nickel Silver Keys designed to be extremely strong and durable. Precision colour inserts for easy identification.

## OProtection

Design Registration provides 10 Years Legal Protection against Unauthorised Key Duplication/Production

## Complete

Complete range of Barrels to suit almost every type of Lock to ensure you can get the job done!

> To Register your interest or apply for ML20 contract information. Contact Cole Cullen via ph : 0404 808 807 or email: cole@siepergroup.com



# FEB-MARCH SPECIAL PRICING STOCK UP ON YOUR FAVOURITE INLINE LISHI PICKS

PATENT PENDING







NEW



LIGHTWEIGHT AND COMPACT DUPLICATING MACHINE

JM


NOMAD

### MICROMETRIC ADJUSTMENT

THIS CALIBRATION SYSTEM ALLOWS AN EXACT ADJUSTMENT OF THE TRACER AND GUARANTEES CUT PRECISION

### 4 WAY ERGONOMIC JAWS

HIGH QUALITY STEEL JAWS FOR PRECISION CUTTING. FOUR WAY JAWS ALLOW GREATER EASE AND RELIABILITY IN THE CLAMPING OF THE KEYS



# XL JAW DISTANCE

EXTRA LARGE SPACE (92MM) BETWEEN JAWS TO ACCOMODATE LARGER STYLE KEYS (ESPECIALLY AUTOMOTIVE FLIP KEYS), WITHOUT THE NEED TO DISASSEMBLE KEY BLADES.

### DESIGNED & BUILT FOR THE MOBILE LOCKSMITH

PRECISION, LIGHTWEIGHT & COMPACT DESIGN THAT DELIVERS HIGH QUALITY KEY DUPLICATION.

### NYLON ABRASIVE BRUSH

HELPS TO ACHIEVE THE PERFECT FINISH OF THE DUPLICATE KEY. IN ADDITION BEING MADE OF NYLON PREVENTS THE OPERATOR FROM SUFFERING ACCIDENTAL CUTS WHILE WORKING WITH THE MACHINE

## FLUID MOVEMENT OF THE CARRIAGE

THE CARRIAGE OFFERS SMOOTH WHEEL MOVEMENTS WHICH FACILITATES DUPLICATION AND REDUCES THE FORCE NEEDED TO OPERATE THE MACHINE



See it 1st

at your state's MLAA Branch Meeting

# TESTIMONIAL

"I needed a reliable key duplicator for my new van. I liked the JMA - NOMAD as it is compact, but still has a powerful motor allowing me to duplicate keys fast and accurate.

The Jaws are well spread apart allowing easy duplication of all key types including flip keys. It also comes with a mounting bracket for easy installation".

Carl - Northlakes Locksmiths.

TECHNICAL DATA	
Cutter	FP11 HSS ( Ø 63 x 5 x 16) / FP 32 ( Ø 63 x 2, 4 x 16)
Clamps	Reversible 4 faced
Width	266mm
Height	215mm
Depth	165mm
Weight	6.5kg
Speed	2800 rpm
Useful Run	X=53 mm
Transmission	Ribbed belts

### **MOTOR DATA**

Nomad


220 VCD - 150 W

See the full range at www.sglocks.com.au





# WIDE STILE MORTICE LOCK FURNITURE



# **Full Range Available Now!**

PART NUMBER	DESCRIPTION	TRADE PRICE EX GST	BULK PACK 10+
SQ-01C-25-SCP	Square End - EXTERNAL PLATE - CYL HOLE & LEVER	CFP	CFP
SQ-01V-25-SCP	Square End - INTERNAL PLATE - CYL HOLE & LEVER	CFP	CFP
SQ-02C-25-SCP	Square End - EXTERNAL PLATE - LEVER ONLY	CFP	CFP
SQ-02V-25-SCP	Square End - INTERNAL PLATE - LEVER ONLY	CFP	CFP
SQ-03C-25-SCP	Square End - EXTERNAL PLATE - EMERGENCY TURN & LEVER	CFP	CFP
SQ-04C-SCP	Square End - EXTERNAL PLATE - CYL HOLE ONLY	CFP	CFP
SQ-13V-25-SCP	Square End - INTERNAL PLATE - TURN SNIB & LEVER	CFP	CFP
SQ-53C-25-SCP	Square End - EXTERNAL PLATE - EMERGENCY TURN, INDICATOR & LEVER	CFP	CFP

# **Commercial Door Furniture**

# NARROW STILE MORTICE LOCK FURNITURE



PART NUMBER	DESCRIPTION	TRADE PRICE EX GST	BULK PACK 10+
NSQ-01C-25-SCP	Narrow Style Sq. End - EXTERNAL PLATE - CYL HOLE & LEVER	CFP	CFP
NSQ-01V-25-SC	Narrow Style Sq. End - INTERNAL PLATE - CYL HOLE & LEVER	CFP	CFP
NSQ-02C-25-SCP	Narrow Style Sq. End - EXTERNAL PLATE - LEVER ONLY	CFP	CFP
NSQ-02V-25-SCP	Narrow Style Sq. End - INTERNAL PLATE - LEVER ONLY	CFP	CFP
NSQ-04C-SCP	Narrow Style Sq. End - EXTERNAL PLATE - CYL HOLE ONLY	CFP	CFP
NSQ-13V-25-SCP	Narrow Style Sq. End - INTERNAL PLATE - LOCK SNIB & LEVER	CFP	CFP

# lardware go to www.sglocks.com.au



# **Commercial Scar plates**

# STAINLESS & ALUMINIUM SCAR PLATES



TRADE PRICE EX GST

CALL FOR

CALL FOR

PRICING

PRICING

PART NUMBER	MATERIAL	DESCRIPTION	TRADE PRICE EX GST
SP-201-SS	Stainless Steel	75x75 SS Plate 1.2mm thick with 5xHoles. Suits 201 Style Patch/Repair	CALL FOR PRICING
SP-201-AL	Aluminium	75x75 Aluminium Plate 2.5 mm thick with 5xHoles. Suits 201 Style Patch/Repair	CALL FOR PRICING

DESCRIPTION



SP-WP-SS	Stainless Steel	195x75 SS Plate 1.2mm thick with Mortice cut out. Suit 3572-Wide plate style Patch/Repair
SP-WP-AL	Aluminium	195x75 Aluminium Plate 2.5 mm thick with Mortice cut out. Suits 3572-Wide plate style Patch/Repair

PART NUMBER MATERIAL

PART NUMBER	MATERIAL	DESCRIPTION	TRADE PRICE EX GST
SP-NP-SS	Stainless Steel	200x36 SS Plate 1.2mm thick with Mortice cut out. Suits 3582- Narrow plate style Patch/Repair	CALL FOR PRICING
SP-NP-AL	Aluminium	200x36 Aluminium Plate 2.5 mm thick with Mortice cut out. Suits 3582- Narrow plate style Patch/Repair	CALL FOR PRICING

PART NUMBER	MATERIAL	DESCRIPTION	TRADE PRICE EX GST
BP-75-75-SS	Stainless steel	75x75 Blank SS Plate 1.2mm thick. Suits 201 Style Patch/Repair	CALL FOR PRICING
BP-75-75-AL	Aluminium	75x75 Blank Aluminium Plate 2.5 mm thick. Suits 201 Style Patch/Repair	CALL FOR PRICING

PART NUMBER	MATERIAL	DESCRIPTION	TRADE PRICE EX GST
BP-195-75-SS	Stainless steel	195x75 Blank SS Plate 1.2mm thick .Suits 3572-Wide plate style Patch/Repair	CALL FOR PRICING
BP-195-75-AL	Aluminium	195x75 Blank Aluminium Plate 2.5 mm thick. Suits 3572-Wide plate style Patch/Repair	CALL FOR PRICING

PART NUMBER	MATERIAL	DESCRIPTION	TRADE PRICE EX GST
BP-200-36-SS	Stainless steel	200x36 Blank SS Plate 1.2mm thick. Suits 3582- Narrow plate style Patch/Repair	CALL FOR PRICING
BP-200-36-AL	Aluminium	200x36 Blank Aluminium Plate 2.5 mm thick. Suits 3582- Narrow plate style Patch/Repair	CALL FOR PRICING



To see full range of LOCKTON Commercial Hardware go to www.sglocks.com.au



# MLAA BRANCH MEETING WRAP UP - VIC

Tuesday 25 February 6.00 pm to 9.00 pm

Urban Alley Brewery

Parking available from \$10

The Deck

12 Star Circus Docklands

VICTORIA

Huge crowd as always in VIC.

We would like to say a huge 'Thank You' to the MLAA & their members for the great turn out at the first MLAA Branch meeting of the year in Victoria.

The night was a huge success with a large crowd turning up to show support for the **New** MLAA - ML20 Restricted key system & see it on display for the first time.

Congratulations, to Matt from LockCorp for winning a free Lishi pick for the fastest picking time.

Many thanks to the team at Urban Alley Brewery for the great service, food & drink provided .

-SIEPER Group

Lishi picking competition



# LGA BRANCH MEETING WRAP UP - NSW

### Monday 17th February 2020 SG LOCKS 101- 109 Deakin St, Silverwater NSW 2128

We would like to say 'Thank You' to the LGA & their members for allowing us to host the first LGA Branch meeting of the year at SG LOCKS Head office in Silverwater.

There was considerable interest in our JMA -Nomad key machine, Lockton mortice furniture & our new TXT Support service.

Congratulations, to Bill from Trusty Locksmiths for winning the lucky door prize, Taking home a Locksmith tool kit.

It was great to catch up with you all.

- SIEPER Group



# קי SGT Tech Tips

# TXT- Support: Remote /Smart key identification guide

This tech tip is a step by step guide that will assist with identification of New proximity/ Smart keys that can also be applied to identifying General remote keys. We have found that this has been the most popular enquiry on our New "TXT" support service & have compiled a list of necessary checks that will aid us to find the correct product/remote pathway for all users.

### 1. Check The SRS

The SRS database has lots of vehicle specific Smart key references including Emergency Blade information. Whilst you may feel your enquiry may not be listed on the SRS, it is still the best place to start as updates will emerge without notice.

### 2. Vehicle Information

Make, Model, Year & Vin Number, It's imperative that we have this information to begin the process, without it the information for SRS is often lost even after an enquiry has been solved.

#### 3. Image

Using the "TXT" support line , send us a quick picture! A visual indicator can assist us greatly when sourcing information for a New vehicle Key/Remote etc. This can also be used to narrow down remotes when scrolling through the KEYDIY platform.

#### 4. Test the Frequency & Gateway

If you are supplying a spare key/remote etc. test the original to obtain the frequency & gateway.

# **Online Promo**

The frequency will generally be between 300-868 Mhz. But more often than not either 314Mhz or 433 Mhz.

Some new smart keys also jump frequency and are referred to as multi-frequency remotes.

One example of this would be the 128 bit -(H) Smart keys that jump between 312-314 Mhz.

When testing remotes make sure you are away from any interference including Mobile Phones (which will jump the reading up to about 868Mhz).

The gateway is the type of frequency - ASK or FSK .

The KDX2 can determine this when testing and this type of information can be used to narrow down on remote selection.

### 5. Stickers/ Markings & Part numbers

Remotes will generally have some alphanumeric markings on them somewhere just like any other product has a part number.

These markings can be a very helpful contributing factor when sourcing/selecting a remote.

#### Example:

• Peugeot/Citroen- On the remote shell where the flip blade retracts there will be either a ce0536 or ce0532 marking. On KEYDIY this marking can be searched and you will find an FSK and ASK version of this.

These markings can be found on the internal or external of the remote. On some Smart keys it will be on the PCB inside the shell.

Our tech support team have a good knowledge of where to look & can guide you through obtaining this data. 6. Transponder data

Integrated transponder keys/ smart keys have both data to operate the central locking & transponder data integrated into the same processor on the PCB. Although they are together in the processor they are two different things entirely & getting accurate data on both is crucial for a fully operating key.

#### Example:

Reading a Toyota proximity key in your KDX2 you can see the transponder data - The first 2x digits determine the type of transponder used.

In our current range we have 94 & 98 style Toyota smart keys.(more coming soon) This is the 1st factor to be correct to program to the vehicle, secondly the remote data would also need to be correct for the Prox /Remote functions to operate.

#### Example:

If the wrong transponder data was selected: The Key would not program to the vehicle at all.

If the wrong frequency & gateway was selected: Central locking/ proximity functions would not operate although the vehicle may start when holding it to the Start button.

### SG Tech Team -



See TXT Support insert to join our **TXT Support Service** 



Limit of 1 promotional item per customer, per week, during the promotional period, or while stocks last. Order total excludes GST.

