





Lock Pins

Specialty Products & Manufacturing, LLC



With 30+ years of specialised manufacturing in the security industry, SP LOCK PINS produces high-quality Lock Pins and Lock Pin Kits for locksmiths and leading lock brand manufacturers.



GAINSBOROUGH **Aftermarket Pins**



PRODUCT SPECIFICATION

- Gainsborough Compatible pins (TE2)
- Type: Bottom Pin
- Material: #360 Alloy Brass (Full-Hard)
- Colour: Brass
- Packet of 144
- Made in USA

TE2 - GAINSBOROUGH AFTERMARKET PINS



Art ID	Colour	Packet (qty: 144)
GAINS-BP0	* Gold *	CFP
GAINS-BP1	* Gold *	CFP
GAINS-BP2	* Gold *	CFP
GAINS-BP3	* Gold *	CFP
GAINS-BP4	* Gold *	CFP
GAINS-BP5	* Gold *	CFP
GAINS-BP6	* Gold *	CFP
GAINS-BP7	* Gold *	CFP
GAINS-BP8	* Gold *	CFP

To see the full range of SP Lock Pins go to







LASER ENGRAVER

The L3-30 is the latest Fiber Laser Engraver from LDC. The L3 series Engravers are professional Engravers perfectly suited to Locksmtihs or similar that require a compact high quality commercial Laser Engraver, for fast engraving on items like Restricted Keys, Dog Tags, Scar Plates, Cylinders, Padlocks and 1000's of other things.

PRODUCT DESCRIPTION


- Fast, Quiet & Accurate
- Advanced Laser technology
- · Laser Marking & Cutting
- Minimizes installation space due to compact size (can be placed on table)
- Safety Cover automatically closes when engraving is commenced & opens when finished.
- Black / White engraving options
- Internal camera enhances design process
- Laser auto focusing automatically finds the focus point
- Vacuum is automatically turned on & off as needed (very quiet) vacuum intakes dust and fumes keeping the work area clean and safe
- NEW easy to use Magic Art 7 Software (Included)
- The sight protection glass on the safety door protects users when looking at the engraving job

PRODUCT SPECIFICATION


- Max Material Height 100mm
- Internal chamber area 350mm(W) x 100mm(H) x 170mm(D)
- Max Material Weight: 20kg
- Air Cooling
- Laser Power: 30W
- Class 1 Laser
- Size (W X H X D): 404 x 556 x 590 mm
- Machine Weight: 46Kg













MORTICE LOCK ACCESSORIES





STANDARD MORTICE FACE PLATE - Suits Art.'s SG-ML60

PRODUCT DESCRIPTION:

The LT175-FPML60-SSS Standard Timber Face Plate to suit the LOCKTON Art. SG-ML60 Mortice Locks.

PRODUCT SPECIFICATION:

- Size: 175 mm x 25 mm
- Material: Satin Stainless Steel
- Suits Art. SG-ML60









ROUND END MORTICE FACE PLATE - Suits Art.'s SG-ML60

PRODUCT DESCRIPTION:

The LT175-REFPML60-SSS Round End Face Plate to suit the LOCKTON Art. SG-ML60 Mortice Locks.

PRODUCT SPECIFICATION:

- Size: 175 mm x 25 mm
- Material: Satin Stainless Steel
- Suits Art. SG-ML60

Art. LT175-REFPML60-SSS







TIMBER FACE PLATE - Suits Art.'s SG-SBML23 & SG-SBML30

THI BERT TROET EXTENDED ON THE OWNER OF THE OWNER OWNER OF THE OWNER OWNER



The SG-LT260-FP-SSS Timber Face Plate to suit the LOCKTON Art. SG-SBML23 & SG-SBML30 Mortice Locks.

Used when wanting to install a Short Backset Mortice Lock on a Timber Door, Could also be used to cover some larger cut-outs when replacing a Euro Style Lock with the Art.SG-SBML23 or Art. SG-SBML30 Mortice Locks.

PRODUCT SPECIFICATION:

- Size: 260 mm x 25 mm
- Material: Satin Stainless Steel
- Suits Art. SG-SBML23 or Art. SG-SBML30

Art. LT260-FP-SSS







📆 sglocks.com.au



TO VIEW THE ENTIRE LOCKTON RANGE



Art. 410-SC

Art. 410-CP

LOCK CYLINDER (570) OVAL *Satin Chrome*

PRODUCT DESCRIPTION:

LOCKTON 410-SC, 570 Oval Cylinders are a commercial grade 6-pin solid brass cylinder, suitable for locks requiring an Australian Oval Cylinders.

PRODUCT SPECIFICATION:

- Made of Solid Brass
- Satin Chrome Finish
- C4 6-Pin with 2 x Keys (Keyed Versions)
- Available in KA (Keyed Alike), KD (Keyed to Differ) or ALB (Less Barrel, Top Loaded ready for a Restricted Barrel) & TURN (Turn Snib)
- Suitable for Restricted Inline Key Systems
- Comes with Z,X,W & "Rabbit ear" Cams (the 4 x most common used Cams in Australia)
- Custom Laser Etching available

LOCK CYLINDER (570) OVAL *Chrome Plate*

PRODUCT DESCRIPTION:

LOCKTON 410-CP, 570 Oval Cylinders are a commercial grade 6-pin solid brass cylinder, suitable for locks requiring an Australian Oval Cylinders.

PRODUCT SPECIFICATION:

- · Made of Solid Brass
- Chrome Plate Finish
- C4 6-Pin with 2 x Keys (Keyed Versions)
- Available in KA (Keyed Alike), KD (Keyed to Differ) or ALB (Less Barrel, Top Loaded ready for a Restricted Barrel)
- Suitable for Restricted Inline Key Systems
- Comes with Z,X,W & "Rabbit ear" Cams (the 4 x most common used Cams in Australia)
- Custom Laser Etching available

aparondo de la compansión de la compansi

Art. 410-PB

LOCK CYLINDER (570) OVAL *Polished Brass*

PRODUCT DESCRIPTION:

LOCKTON 410-PB, 570 Oval Cylinders are a commercial grade 6-pin solid brass cylinder, suitable for locks requiring an Australian Oval Cylinders.

PRODUCT SPECIFICATION:

- Made of Solid Brass
- Polished Brass Finish
- C4 6-Pin with 2 x Keys (Keyed Versions)
- Available in KA (Keyed Alike), KD (Keyed to Differ)
- Suitable for Restricted Inline Key Systems
- Comes with Z,X,W & "Rabbit ear" Cams (the 4 x most common used Cams in Australia)
- Custom Laser Etching available

LOCK CYLINDER (570) OVAL *Matt Black*

PRODUCT DESCRIPTION:

LOCKTON 410-BLK, 570 Oval Cylinders are a commercial grade 6-pin solid brass cylinder, suitable for locks requiring an Australian Oval Cylinders.

PRODUCT SPECIFICATION:

- Made of Solid Brass
- Matt Black Finish
- C4 6-Pin with 2 x Keys (Keyed Versions)
- Available in KD (Keyed to Differ)
- Suitable for Restricted Inline Key Systems
- Comes with Z,X,W & "Rabbit ear" Cams (the 4 x most common used Cams in Australia)
- Custom Laser Etching available



Art. **410-BLK**



PRODUCT DESCRIPTION:

LOCKTON 420-SC, 201 Round Cylinders are a commercial grade 6-Pin solid brass cylinder, suitable for locks requiring an Australian 201 Cylinder (like Lockwood 001)

PRODUCT SPECIFICATION:

- Solid Brass (Cyl Body & Rose)
- Satin Chrome Finish
- C4 6-Pin with 2 x Keys (Keyed Versions)
- Available in KA (Keyed Alike), KD (Keyed to Differ) or ALB (Less Barrel, Top Loaded ready for a Restricted Barrel)
- Suitable for Restricted Inline Key Systems
- Supplied with a Large Solid Brass Cylinder Rose
- Custom Laser Etching Available



LOCK CYLINDER (201) ROUND *Chrome Plate*

PRODUCT DESCRIPTION:

LOCKTON 420-CP, 201 Round Cylinders are a commercial grade 6-Pin solid brass cylinder, suitable for locks requiring an Australian 201 Cylinder (like Lockwood 001)

PRODUCT SPECIFICATION:

- Solid Brass (Cyl Body & Rose)
- Chrome Plate Finish
- C4 6-Pin with 2 x Kevs (Keved Versions)
- Available in KD (Keyed to Differ) or ALB (Less Barrel, Top Loaded ready for a Restricted Barrel)
- Suitable for Restricted Inline Key Systems
- Supplied with a Large Solid Brass Cylinder Rose
- Custom Laser Etching Available



Art. 420-CP

LOCK CYLINDER (201) ROUND *Polished Brass*

PRODUCT DESCRIPTION:

LOCKTON 420-PB, 201 Round Cylinders are a commercial grade 6-Pin solid brass cylinder, suitable for locks requiring an Australian 201 Cylinder (like Lockwood 001)

PRODUCT SPECIFICATION:

- Solid Brass (Cyl Body & Rose)
- Polished Brass Finish
- C4 6-Pin with 2 x Keys (Keyed Versions)
- Available in KD (Keyed to Differ)
- Suitable for Restricted Inline Key Systems
- Supplied with a Large Solid Brass Cylinder Rose
- Custom Laser Etching Available

Art. 420-PB

LOCK CYLINDER (201) ROUND *Matt Black*

PRODUCT DESCRIPTION:

LOCKTON 420-BLK, 201 Round Cylinders are a commercial grade 6-Pin solid brass cylinder, suitable for locks requiring an Australian 201 Cylinder (like Lockwood 001)

PRODUCT SPECIFICATION:

- Solid Brass (Cyl Body & Rose)
- Matt Black Finish
- C4 6-Pin with 2 x Keys (Keyed Versions)
- Suitable for Restricted Inline Kev Systems
- Supplied with a Large Solid Brass Cylinder Rose
- Custom Laser Etching Available

Art. 420-BLK



- + MORE VEHICLES
- + MORE INFORMATION
- + MORE SPEED
- + MORE CONVENIENCE





choose the imart key option when generating the key file.

This DAS3 Variation has a Chrome PUSH Button inserted into the EIS. This can be removed and used as a (POBIK TWST) ignition.

These Smart keys are currently being sourced by SG. At this time we do not recommend to do the TWIST PROX Variation until a stable key has been sourced.

It may be possible to use a normal POBIK TWST ignition key with these in an emergency.

ALL-KEYS-LOST On Bench Exprom method



- 1. Look for & select the Add Notes button at the bottom of the screen on any Vehicle.
- 2. Fill in the NOTES section with your note & press Save Notes
- 3. Your Notes will now display on this vehicle. To Edit or change , just Select Add Notes again to amend the NOTE



Add a New Order Template

Notes ID SID3649-NOTES

NOTES This vehicle uses the 315 MHZ-SGT key option

Photo SRS ID (SID) Vehicle

SID3649 MERCEDES-BENZ 5-Class (2006 - 2013) V221 - FOBIK TWIST - TWIST PROX

choose the smart key option when generating the key file.

This DASA Variation has a Chrome PUSH Button inserted into the EIS. This can be removed and used as a IFOBIN TWISTI Ignition.

These Smart keys are currently being sourced by SG. At this time we do not recommend to do the TWIST PROX Variation until a stable key has been sourced.

It may be possible to use a normal FOBIX TWIST Ignition key with these in an emergency.

ALL-KEYS-LOST On Bench Eeprom method

Please report any PCB Variation to SG Support for further assistance

2010-2013 DAS3 (TWIST PROX) - Uses same method as above however must


NOTES:

This vehicle uses the 315 MHZ SGT key option

AUTEL MERCEDES UPDATE









Added Complete Vehicle Database Including: All-Keys-Lost & Add-Key Preferred methods +

Remote & Blade information, Lishi data, AUTEL wiring diagram pictures for GBOX 2 & Soldering point pictures for all models below.

	SID3576	MERCEDES-BENZ A-Class (2005 - 2010) W169 - FOBIK TWIST
•	SID3577	MERCEDES-BENZ A-Class (2012 - 2018) W176 - FOBIK TWIST
•	SID3582	MERCEDES-BENZ B-Class (2005 - 2011) W245 - FOBIK TWIST
•	SID3583	MERCEDES-BENZ B-Class (2012 - 2018) W246 - FOBIK TWIST - FULL PROX
•	SID3593	MERCEDES-BENZ C-Class (2000 - 2007) W203 - FOBIK TWIST
•	SID3588	MERCEDES-BENZ C-Class (2001 - 2007) CL203 - FOBIK TWIST
•	SID3590	MERCEDES-BENZ C-Class (2001 - 2007) S203 - FOBIK TWIST
•	SID3594	MERCEDES-BENZ C-Class (2007 - 2014) W204 - FOBIK TWIST - PROX
•	SID3586	MERCEDES-BENZ C-Class (2011 - 2015) C204 - FOBIK TWIST
•	SID3600	MERCEDES-BENZ CL-Class (2000 - 2006) C215 - FOBIK TWIST
•	SID3601	MERCEDES-BENZ CL-Class (2007 - 2014) C216 - FOBIK TWIST
•	SID3596	MERCEDES-BENZ CLA-Class (2013 - 2019) C117 - FOBIK TWIST - FULL PROX
•	SID3599	MERCEDES-BENZ CLC-Class (2008 - 2011) CL203 - FOBIK TWIST
•	SID3604	MERCEDES-BENZ CLK-Class (2000 - 2002) C208 - FOBIK TWIST
•	SID3602	MERCEDES-BENZ CLK-Class (2000 - 2003) A208 - FOBIK TWIST
•	SID3605	MERCEDES-BENZ CLK-Class (2002 - 2009) C209 - FOBIK TWIST
•	SID3603	MERCEDES-BENZ CLK-Class (2003 - 2009) A209 - FOBIK TWIST
•	SID3607	MERCEDES-BENZ CLS-Class (2005 - 2011) C219 - FOBIK TWIST
•	SID3606	MERCEDES-BENZ CLS-Class (2011 - 2017) C218 - FOBIK TWIST - FULL PROX
•	SID3609	MERCEDES-BENZ CLS-Class (2012 - 2017) X218 - FOBIK TWIST - FULL PROX
•	SID3617	MERCEDES-BENZ E-Class (2000 - 2002) W210 - FOBIK TWIST
•	SID3618	MERCEDES-BENZ E-Class (2002 - 2009) W211 - FOBIK TWIST
•	SID3614	MERCEDES-BENZ E-Class (2005 - 2009) S211 - FOBIK TWIST
•	SID3612	MERCEDES-BENZ E-Class (2009 - 2016) C207 - FOBIK TWIST - PROX
•	SID3619	MERCEDES-BENZ E-Class (2009 - 2016) W212 - FOBIK TWIST - PROX
•	SID3610	MERCEDES-BENZ E-Class (2010 - 2016) A207 - FOBIK TWIST - PROX
•	SID3615	MERCEDES-BENZ E-Class (2010 - 2016) S212 - FOBIK TWIST - PROX
•	SID3624	MERCEDES-BENZ G-Class (2011 - 2021) W463 - FOBIK TWIST - PROX
•	SID3630	MERCEDES-BENZ GL-Class (2006 - 2012) X164 - FOBIK TWIST
•	SID3626	MERCEDES-BENZ GLA-Class (2013 - 2019) X156 - FOBIK TWIST - PROX
•	SID3643	MERCEDES-BENZ M-Class (2005 - 2011) W164 - FOBIK TWIST - PROX
•	SID3644	MERCEDES-BENZ M-Class (2012 - 2015) W166 - FOBIK TWIST - PROX
•	SID3645	MERCEDES-BENZ R-Class (2006 - 2013) 251 - FOBIK TWIST
•	SID3648 SID3652	MERCEDES-BENZ S-Class (2000 - 2006) V220 - FOBIK TWIST MERCEDES-BENZ S-Class (2000 - 2006) W220 - FOBIK TWIST
	SID3649	MERCEDES-BENZ S-Class (2000 - 2006) W220 - FOBIK TWIST MERCEDES-BENZ S-Class (2006 - 2013) V221 - FOBIK TWIST - TWIST PROX
	SID3653	MERCEDES-BENZ S-Class (2006 - 2013) W221 - FOBIK TWIST - TWIST FROX
•	SID3659	MERCEDES-BENZ SI-Class (2000 - 2013) W221 - POBIK TWIST - PROX
•	SID3662	MERCEDES-BENZ SLK-Class (2004 - 2011) R171 - FOBIK TWIST
•	SID3663	MERCEDES BENZ SLK-Class (2011 - 2016) R172 - FOBIK TWIST - PROX
•	SID3664	MERCEDES-BENZ SLS-Class (2010 - 2014) C197 - FOBIK TWIST
•	SID3665	MERCEDES-BENZ SLS-Class (2012 - 2014) R197 - FOBIK TWIST
•	SID3667	MERCEDES-BENZ Sprinter (2006 - 2018) NCV3 (W906) - FOBIK TWIST
•	SID3670	MERCEDES-BENZ Valente (2012 - 2015) 639 - FOBIK TWIST
•	SID3672	MERCEDES-BENZ Viano (2005 - 2015) 639 - FOBIK TWIST
•	SID3675	MERCEDES-BENZ Vito (2004 - 2015) 639 - FOBIK TWIST
		·





Check



For Pricing!

Art. EMOJIS

Pkt of 12 on Hang Card





PRODUCT DESCRIPTION

Cute keyrings to suit every user and personality

PRODUCT SPECIFICATIONS

- Pkt of 12 on Hang Card
- 9 assorted types per card



Art. KEYCAP

Pkt of 40 in Counter Display



PRODUCT DESCRIPTION

Identify and personalise your keys with these funny key caps, ideal for big or small key heads

PRODUCT SPECIFICATIONS

- Pkt of 40 on Counter Display
- 8 assorted types per box 5 for Small & 3 for Big Key heads.



Art. KEYLOOP-12PKT

Pkt of 12 on Hang Card



PRODUCT DESCRIPTION

Comfortable and Practical Keyrings in Multiple colours to meet the taste of every user.

PRODUCT SPECIFICATIONS

- Pkt of 12 on Hang Card.
- 9 assorted colours per card.



Art. KEYLOOP-50PKT

Pkt of 50 in counter Display



PRODUCT DESCRIPTION

Comfortable and Practical Keyrings in Multiple colours to meet the taste of every user.

PRODUCT SPECIFICATIONS

- Pkt of 50 on Counter Display.
- 12 assorted colours per box.






FEBRUARY PROMO

"Coast into 2022"































Your Sales

Managers:



Colin McFarland 0491 445 005



Vince Carson 0437 770 576



Jason Baker 0438 909 840



Henry Guldon 0400 613 714



NZ Toll Free 0800 00 15 98